




THE LEADER OF RUBBER PRODUCTS

WHO WE ARE

S.K. Polymer is one of Thailand's leading molded rubber and plastic parts manufacturers. We started as a small entrepreneurial company in 1991. At the present, we have over 600 people working together to deliver quality rubber and plastic components for automotive, electrical appliance, electronic equipment, pharmaceutical, medical devices and other industries.

- Automotive Parts
- Pharmaceutical, Medical Devices & Food Contact Rubber Parts
- Electrical Appliances & Electronic Equipment Parts
- Other Industries



- SKP
- Polymate
- AromDee
- ReServ
- NaturaPlas

Design & Produce Polymer Products for your Brand Identity

Key Facts

Established:	1991
Registered Capital:	70,000,000 BAHT
Core Business:	Molded Rubber and Plastic parts
Areas (Main Factory):	7,962 Square metres;
New Location:	14,500 Square metres
Mixing Capacity:	4,000 Tons/year
Numbers of Employees:	600
Certificates:	ISO 9001:2015, ISO IATF16949, ISO 13485
DUNs Number:	66-070-2432

OUR NEW FACTORY

The new site in Lat Lum Kaew, PathumThani province has the total production areas of 15,700 square meters. It is designed to be comprised of 4 buildings for 7 business units 2 units for Thai Rubb Tech Company and 5 units for S.K. Polymer




Molded Rubber & Plastic Manufacturer



Thai Rubb Tech
One-Stop Service Solutions
for Rubber Industry



Complete Solutions for IT Services



World-Class Organization



WHAT WE OFFER

Product range by material

Rubber

NR, EPDM, Silicone, NBR, SBR, CR, HNBR, Fluorosilicone, FKM, IR, IIR, BIIR, VITON, Liquid Silicone, etc.

Plastic :

ABS, PC, PE, EVA, HDPE, PA, PA 66, HIPS, LDPE, LLDPE, PA 6, PBT, POM, PP, PS, SAN, PMMA, PVC, PA66+GF30%, PBT+GF30%

Thermoplastic

Elastomer (TPE / TPO)

Thermoplastic

Natural Rubber (TPNR)

Products range by industries

Electronic and Electrical

- Anti-vibration Rubber
- Rubber Cap
- Rubber Plug
- Rubber Finger
- Rubber Foot
- Rubber Block
- Sealing Rubber
- P.V. Bellow
- Rubber-metal bonded parts

Automotive

- Brake and clutch System
- Air Conditioning & Engine Cooling System parts
- Rubber Parts for Battery
- Rubber Parts for Interior and console panels
- Assembly & Body Parts
- Rubber Bushes
- Absorption Rubber Parts
- Rubber Protectors
- Injection Plastic Parts

Pharmaceutical and Medical devices

- Silicone Implatable Medical Devices
- Pharmaceutical-Grade Polymer Parts
- Medical-Grade Polymer Parts
- Food-Contact Products
- Healthcare and Wellness Products

Others

- Traffic Control System (TCS)
- Railway System
- Poultry Picking Fingers Products
- Housing Valve & Air Valve
- Piping Seal
- Diving Mask
- Ruuber Support Condensing
- Silk Screen Squeegee
- Rubber Flooring
- Sustainable Products
- O-Ring
- Seal
- Gasket

WHY S.K.POLYMER



Valued Business Partner

Our commitment to delivering both quality products and responsive service in a timely manner results in a significant number of our customers placing their trust in S.K. Polymer as their single source supplier. We play a part in making customer's cost less than their competitors through improvement in process efficiency, easy-assembly design and numerous VA/VE projects.

Workforce Capability

Our key strength is to have in-house specialist, mostly graduates in Polymer Technology. Our team, from operations to management, consists of energetic people well trained in continuous improvement. We strongly believe that human resources are the core competence that will drive the organization to achieve our goals and make substantial investments in our employees' learning activities. Our philosophy is to enlighten our people to the benefits of structured and logical thinking.

Excellent Quality Systems & Standards

Our continuous TQM implementation has been a key factor in attaining ISO 9001, ISO 13485 and ISO IATF 16949 certifications. We are the first Thai rubber manufacturer to be certified by Underwriter Laboratories (UL). We are REACH and RoHS compliant. Our food grade products have been approved by Japan Recreation and Miscellaneous Good Safety Laboratory (Japan), Pollock and Pool (N) Limited (England) and the Ministry of Public Health (Thailand).

Sustainability

For sustainable growth, we focus on resource utilization and continuous improvement in technology, particularly in mold design, formulation research and process engineering. In addition, we have risk management mechanisms in areas like material cost and exchange rates, and diversifying our market in both segmental and geographical dimensions. These fundamentals help us to maintain corporate profitability and sustainability. We are also in preparation to become a public company listed in the stock exchange in 2026.



Industrial Products



Original Brand Manufacturer



Consumer Products



STRAP HANGER




FASTENING SYSTEM COMPONENTS

Elastic Clip
Rail Insulator

Rail Shoulder


Rail Pad



SLEEPER GAP FILLER



RUBBER WEDGE



BALLAST REGULATOR BROOM

UNDER SLEEPER PAD

RUBBER FOR MOLD CONCRETE RAILWAY SLEEPER



RAILWAY SYSTEM

PLATFORM GAP FILLER (PGF)

S.K. Polymer created Platform Gap Filler(PGF) to prevent people from falling into the space between trains and platforms.

Our PGF was implemented in Thailand's Airport Rail Link, as well as in the United States and Norway.

We intend to make transportation safer for passengers of all ages, as well as persons with disabilities worldwide.



Engineering
Design

Durable
Material


Flexible
Design



RUBBER RAILWAY CROSSING PANEL



Rubber Railway
Level Crossing Panel | **Internal**
Dimension : 600 x 526.5 x 170 mm.



Rubber Railway
Level Crossing Panel | **External**
Dimension : 600 x 728 x 170 mm.



Rubber Level crossing panels at road crossings, natural rubber products strengthened with a specific formula are placed between railroad tracks to replace brittle concrete slabs.

These rubber substitutes are supple, flexible, and incredibly shock-absorbing; they guarantee longevity and a more comfortable, vibration-free ride for cars, as well as greatly prolonging their service life.



marketing@skthai.com

www.skpbrand.com


Quality System :

E&E Plant
ISO 9001:2015


Automotive Plant
ISO 9001:2015
IATF 16949:2016

Pharma Plant
ISO 9001:2015
ISO 13485:2016

RUBBER SPEED BUMP



Unit : mm.



Unit : mm.



Traffic Cone Rubber Base



Bollards



Rubber Corner Guard



TRAFFIC CONTROL SYSTEM

RUBBER WHEEL STOPPER

More durable!

Does not damage suspension.!

Made In Thailand



Rubber Base



Rubber Roller Barrier

Rubber Rumble Strip



Rubber Base for Traffic Bollards



marketing@skthai.com

www.skpbrand.com

Quality System :

E&E Plant
ISO 9001:2015

Automotive Plant
ISO 9001:2015
IATF 16949:2016

Pharma Plant
ISO 9001:2015
ISO 13485:2016

For Every Step, in Every Space

SKP Rubber Flooring delivers premium, eco-friendly, and long-lasting solutions for residential, commercial and industrial environments. we prioritize durability, visual appeal, and innovation aiming to become a global leader in sustainable and innovative rubber flooring solutions.

SKP Rubber Flooring is made from premium natural and synthetic rubber, molded under high pressure and temperature. It features consistent patterns, stable colors, and exceptional durability, with a lifespan of over 15 years under normal conditions. The product is backed by a 10-year quality warranty.



Environmentally friendly



Fire-resistant



Static dissipative



Slip-resistant



Resistant to acids and alkalis

SKP Rubber Flooring is perfect for health centers, public buildings, schools, sports facilities, Gym & Fitness, Data Center, Playground & outdoor space ,transportation hubs, industrial buildings, exhibition centers, and retail stores. It's ideal for spaces that require noise reduction and promote foot health.

Product Category :

PVC Flooring

LVT Flooring

Rubber Flooring

SPC Flooring

Sport Flooring

Gym & Fitness Flooring

Transportation Flooring


Rubber Mats for Animal Stalls

Flooring Accessories



PVC Flooring

- Homogeneous Flooring: Durable single-layer PVC, perfect for high-traffic areas and commercial spaces.
- Heterogeneous Flooring: Multi-layer PVC with superior performance for various applications.
- Anti-Static Flooring Roll/Tiles: Prevents static electricity, ideal for computer rooms and data centers.



LVT Flooring

Luxury Vinyl Tiles (LVT): High-quality flooring that mimics wood or stone, offering both luxury and durability for residential and commercial interiors.



Rubber Flooring

- Rubber Flooring: Durable, flexible flooring for gyms, hospitals, and industrial settings with high foot traffic.



Quality System : E&C Plant ISO 9001:2015 Automotive Plant ISO 9001:2015 IATF 16949:2016 Pharma Plant ISO 9001:2015 ISO 13485:2016



Tel : 099-285-7972
Email : sales_b04@skthai.com
skpbrand.com



S.K. Polymer Co., Ltd.
Address: 166 Soi Thiantalay 20, Bangkhunthian-Chytalay Rd.,
Samaedum, Bangkhunthian, Bangkok, Thailand 10150
Tel: (66)2892 1092 up to 7

SPC Flooring

- Stone Plastic Composite (SPC) Flooring: Water-resistant, easy to install, suitable for high-traffic areas like living rooms, meeting rooms, and offices.




Sport Flooring

- Sports Flooring: Shock-absorbing flooring for sports facilities, gyms, and recreational centers.



Gym & Fitness Flooring



Quality System :

E&E Plant
ISO 9001:2015

Automotive Plant
ISO 9001:2015
IATF 16949:2016

Pharma Plant
ISO 9001:2015
ISO 13485:2016




Tel : 099-285-7972
Email : sales_b04@skthai.com
skpbrand.com



S.K. Polymer Co., Ltd.
Address: 166 Soi Thiantalay 20, Bangkhunthian-Chytalay Rd.,
Samaedum, Bangkhunthian, Bangkok, Thailand 10150
Tel: (66)2892 1092 up to 7

Transportation Flooring

•Transportation Flooring: Specialized flooring for transportation systems, such as subways and high-speed trains, offering durability and safety.



Rubber Mats for Animal Stalls

•Durable, hygienic mats that enhance comfort, prevent slipping, and are easy to clean — ideal for safer, more productive farms.



Flooring Accessories

•Flooring Accessories: Edge trims, wall baseboards, and cleaning tools for installation and maintenance.

Formats



Roll

Standard size: 1,220 × 15,000 mm.
Size range: 1,000 ~ 1,900 × 10,000 ~ 20,000 mm.
Thickness: 2.0 ~ 6.0 mm.



Sheet

Size: 1,000 × 1,000 mm.,
600 × 600 mm., 500 × 500 mm.
Thickness: 3.0 ~ 10.0 mm.



Stair Step

Size: 1,000 ~ 1,800 × 500 × 5 mm.



Rubber Guide

Size : 300 × 300 mm.
Thickness : 5.5 - 7.5 mm.

Color Range:



Quality System :

E&E Plant
ISO 9001:2015

Automotive Plant
ISO 9001:2015
IATF 16949:2016

Pharma Plant
ISO 9001:2015
ISO 13485:2016



Tel : 099-285-7972
Email : sales_b04@skthai.com
skpbrand.com



S.K. Polymer Co., Ltd.
Address: 166 Soi Thiantalay 20, Bangkhunthian-Chytalay Rd.,
Samaedum, Bangkhunthian, Bangkok, Thailand 10150
Tel: (66)2892 1092 up to 7

“Best Innovative Polymer Products”

SKP»



SKP» RUBBER
PICKING FINGERS



skpbrand.com

Why SKP Rubber Picking Fingers?



- Designed and formulated in Thailand - the world's no. 1 processed chicken exporter. The Top 3 major processors are using SKP rubber picking fingers to achieve highest efficiency and productivity.
- Since 1991, rubber formulations have been SKP core competency. With our expertise of operating a Vertically Integrated Manufacturing System including in-house raw material processing, tool design/making and finally in-house molding.
- We offer our World-Wide customers more than thousands of innovative rubber products.
- Our designs are the result of in-house application testing and repeating on-site trials.
- Most cost efficient and material reliability: Natural Rubber (NR) from no.1 exporter's home country
- SKP is aware of the fact that the chicken defeathering process is a combination of art and engineering. We are offering World-Class material with highest sustainability to fulfill the needs and expectations of our customers World-Wide.
 - Not easy to tear and broken.
 - Good abrasion Resistance.
 - Excellent for defeathering process.
 - Don't discoloration and effect to the chicken skin.
 - Good Elastic
 - Long duration picker



S-Series

Equivalent to: Lino
Conveyer process
Fit to Linco, Mayn, Stork



V-Series


Equivalent to: kop
Conveyer process
Fit to Linco, Mayn, Stork



D-Series

Drum Machine

TECHNICAL SPECIFICATION



Models	Dimensions					Hardness (°A)	Tensile strength (kgf/cm ²)	Elongation (%)	Tear strength (kgf/cm ²)	Tension Set (%)	Heat Aging (70 C 70 hrs.)		
	A	B	C	D	E						HS change	TB change	EB change
S-Series	80.5	15.0	23.5	20.3	2.1	40 - 80	>200	>500	>55	<4%	±10	±30	-50
V-Series	80.0	16.0	25.0	21.2	1.5								
D-Series	82.5	18.5	24.0	21.5	2.0	30 - 40	>150	>500	>30	<2%	±15	±30	-50

*Hardness 40-55 for soft Fur
60-80 for Hard Fur

Quality System : E&E Plant
ISO 9001:2015
Automotive Plant
ISO 9001:2015
IATF 16949:2016

Pharma Plant
ISO 9001:2015
ISO 13485:2016



email : marketing@skthai.com
skpbrand.com



S.K. Polymer Co., Ltd.
Address: 166 Soi Thiantalay 20, Bangkhunthian-Chyatalay Rd.,
Samaedum, Bangkhunthian, Bangkok, Thailand 10150
Tel: (66)2892 1092 up to 7

RUBBER FOR PIPE INDUSTRY

Metropolitan Waterworks Authority, Provincial Waterworks Authority standard pass
ผ่านมาตรฐานการประปานครหลวงและส่วนภูมิภาค

Excellent for seal
สมบัติการซีลน้ำที่ดี

Flexible rubber
ชิ้นงานไม่เสื่อมสภาพเร็ว

Not easy to tear
ไม่ฉีกขาดง่าย

Competitive price
ราคาแข่งขันได้



GASKET RUBBER

มาตรฐานงานประปา BS2494 (BS2494 Standard)

ประเก็นยางหน้างาน

Material	Dimensions
NR EPDM	80 mm.
	100 mm.
	150 mm.
	200 mm.
	300 mm.
	400 mm.
	500 mm.
	600 mm.

GIBULT RUBBER FOR PVC, AC

มาตรฐานงานประปา BS2494 (BS2494 Standard)

ยางยิบูล์ท (AC & PVC)

Material	Dimensions
NR EPDM	100 mm.
	150 mm.
	200 mm.
	300 mm.
	400 mm.



BELL MOUTH RUBBER

มาตรฐานงานประปา BS2494 (BS2494 Standard)

ยางปากกระบัง

Material	Dimensions
NR EPDM	100 mm.
	150 mm.
	200 mm.
	300 mm.

RUBBER RING

แหวนยางรัดท่อ

มาตรฐานงานประปา BS2494 (BS2494 Standard)



Material	Dimensions
NR EPDM	100 mm. (รูใน 1/2")
	100 mm. (รูใน 3/4")
	100 mm. (รูใน 1")
	100 mm. (รูใน 1.5")
	100 mm. (รูใน 2")
	150-300 mm. (รูใน 1/2")
	150-300 mm. (รูใน 3/4")
	150-300 mm. (รูใน 1")
	150-300 mm. (รูใน 1/0.5")
	150-300 mm. (รูใน 2")

Quality System :

E&E Plant
ISO 9001:2015

Automotive Plant
ISO 9001:2015
IATF 16949:2016

Pharma Plant
ISO 9001:2015
ISO 13485:2016

**SK Polymer ได้รับรองทางด้านคุณภาพจาก การประปานครหลวง
และ การประปาส่วนภูมิภาค สามารถขึ้นทะเบียนและโอนประวัติได้
อีกทั้งยังสามารถผลิตตามแบบเฉพาะของลูกค้าได้**



www.skpbrand.com

sales_b03@skthai.com
Tel : 02-892-1092 Ext. 195

SK POLYMER
The Leader of Rubber Products

S.K. Polymer Co., Ltd.
Address: 166 Soi Thiantalay 20, Bangkhunthian-Chyatalay Rd.,
Samaedum, Bangkhunthian, Bangkok, Thailand 10150
Tel: (66)2892 1092 up to 7

RUBBER SUPPORT CONDENSING



UV Resistant



Frost Resistant



High Strength
Load Bearing



Fire Resistant



Waterproof



Sea Salt Resistant



Dustproof

ยางรองแอร์ตั้งพื้น 2 นิ้ว SKP
CONDENSING FLOOR SUPPORT RUBBER 2 inch

คุณสมบัติ:

- ผลิตจากยางธรรมชาติ 100% จึงยืดหยุ่นสูง ทนทาน ไม่ฉีกขาด ไม่แตกหักง่าย
- รองรับน้ำหนักรวมของเครื่องได้มากถึง 400 kg. (Max Total Load 400 kg.)
- ใช้รองรับน้ำหนักคอนเดนซึ่งเพื่อลดแรงสั่นสะเทือนและการสั่นไหวได้ดี
- เพิ่มความมั่นคงแข็งแรงให้คอนเดนซึ่งวางยึดบนพื้นที่ติดตั้งได้ดี
- สามารถใช้ได้กับคอนเดนซึ่งขนาดทำความเย็น ได้ทั้งแบบ Split Type และ Floor Standing Type
- ติดตั้งง่ายแคว่กับพื้นที่ได้ระนาบ แล้วยึดสกรูกับนอต ตามภาพ

28,000 - 120,000 BTU




ยางรองขาแอร์ 3 นิ้ว SKP
CONDENSING RUBBER FEET 3 inch

คุณสมบัติ:

- ผลิตจากยางธรรมชาติ 100% จึงยืดหยุ่นสูง ทนทาน ไม่ฉีกขาด แตกหักง่าย
- รองรับน้ำหนักรวมของเครื่องได้มากถึง 200 kg. (Max Load 200 kg.)
- ใช้รองรับน้ำหนักคอนเดนซึ่งเพื่อลดแรงสั่นสะเทือนและการสั่นไหวได้ดี
- เพิ่มความมั่นคงแข็งแรงให้คอนเดนซึ่งวางยึดติดตั้งพื้นที่ติดตั้งได้ดี
- สามารถใช้ได้กับคอนเดนซึ่งขนาดทำความเย็น 9,000 บีทียู ถึง 48,000 บีทียู
- ติดตั้งง่ายแคว่กับพื้นที่ได้ระนาบวางแนวใดก็ได้ ตามภาพ

9,000 - 48,000 BTU



ติดตั้งแบบ 1

ติดตั้งแบบ 2

Quality System :

E&E Plant

ISO 9001:2015

Automotive Plant

ISO 9001:2015

IATF 16949:2016

Pharma Plant

ISO 9001:2015

ISO 13485:2016



www.skpbrand.com

marketing@skthai.com



S.K. Polymer Co., Ltd.

Address: 166 Soi Thiantalay 20, Bangkhunthian-Chyatalay Rd.,
Samaedum, Bangkhunthian, Bangkok, Thailand 10150

Tel: (66)2892 1092 up to 7



Eco-friendly Thermoplastic Natural Rubber (TPNR) Alternative Material for Weaving Applications



NaturaPlas™, a thermoplastic natural rubber (TPNR), stands as an eco-friendly alternative material intended to broaden its range of weaving applications. Its primary component is natural rubber, constituting up to 50%, ensuring that our rattan remains soft, yet flexible and durable against external forces, including breakage and exposure to outdoor weather conditions.



SOFT TOUCH

Rubber-like properties



DURABLE

Durable against external forces and exposure to outdoor weather conditions.





ECO-FRIENDLY


Low energy consumption & recyclability



Key Quality Indicators

- Eco-friendly materials that promotes value and innovation to the products of trading partners
- Add value to rubber and create sustainable wealth for the community





BIO-BASED POLYMER

The primary component of NaturaPlas™ is natural rubber, constituting up to 50%, ensuring that our rattan remains soft, yet flexible and durable



CARBON CAPTURE & STORAGE

Natural rubber can absorb an average of 1.21 tons of carbon dioxide per rai annually.

Rattan Form Cross-section

At present, the standard strand formats are as follows



Round

Suitable For : Furniture Manufacturing, Handicrafts & Decorative Items



Flat

Suitable For : Furniture Manufacturing, Handicrafts, Interior Decoration



Half-round

Suitable For : Furniture Framing & Wrapping, Premium Outdoor Furniture, Decorative Applications



Textured


Suitable For : Premium Furniture, Natural / Rustic / Tropical Déco, Handicrafts & Weaving



Triangular

Suitable For : Custom Designs, Architectural Decoration, Cultural & Artistic Decoration

COLOR OPTIONS





ReServ offers innovative reusable & sustainable products for trendsetters who want to "Be the Change" they wish to see in the world.



ReServ
#BeTheChange
#SustainabilityIsTheNewSexy
#ReusableStraw





DUO-Hardness Reusable Silicone Straw

Smooth Sip

Strong Stir

Reusable Bubble Tea Straw

Great for BOBA

Works for smoothie

ReServ
#BeTheChange
#SustainabilityIsTheNewSexy
#ReusableStraw





AUTOMOTIVE PARTS



ELECTRICAL APPLIANCES &
ELECTRONIC EQUIPMENT PARTS

OEM Polymer Products

PHARMACEUTICAL, MEDICAL DEVICES &



OTHER INDUSTRIES



A PROFESSIONAL MOLDED RUBBER AND PLASTIC MANUFACTURER FOR

THE AUTOMOTIVE INDUSTRY

WE,

Our Company manufactures a wide range of Molded Rubber Products for automobiles and motorcycles. The range includes rubber seals, pedal pads, cushions, rubber steps, isolators, rubber plugs, rubber bushes, rubber sheets and other products used in automobiles.

RUBBER AND PLASTIC PARTS FOR CARS

Brake and Clutch System

Pedal pads: a brake pedal with high elasticity has good resistance to abrasion.

Rubber bushes & cap bleeders are brake components made of EPDM rubber with high tear, weather and heat resistance.



Battery

Rubber seals in car batteries are made to work in contact with acidity as well as distilled water while retaining their high tensile strength.



Assembly Parts

Rubber-metal bonded parts for the brake system and rubber assembled with other materials such as plastic and steel are used in automotive air-conditioning and brake & clutch systems.



Air Conditioning & Engine Cooling System Parts

Bushes/grommets in air conditioning & engine cooling systems is used as vibration absorber with a good compression set or to prevent dust and water penetrating into the passenger area.




Rubber parts For Interiors and Console Panels

Interior part is made according to Grain : GR028 specification and each component has been successfully tested with regard to flammability.



Body parts

Body parts are designed to withstand the high impact potentially occurring between other components.



Injection Plastic Parts

Injection Plastic Parts for cars and motorcycle.



Rubber bushes

Rubber bushes can endure high impacts inside the shock absorber system.



RUBBER AND PLASTIC PARTS FOR MOTORCYCLES



Rubber bushes endure high impacts inside the motorcycle front shock absorber.



Absorption rubber parts are located between metal handles and other materials to reduce noise.



Rubber bushes endure high impacts inside the motorcycle rear shock absorber.



Motorcycle footrests are designed to have good resistance to environmental influences such as exposure to sunlight, ozone and rain.



Rubber protectors are a part of the motorcycle's exhaust system and must therefore be able to withstand high temperatures.

WHY S.K. POLYMER



Vertical Non-Contact Measuring System for high precision and efficient samples dimension checking process.

- ISO IATF 16949
- Shared Values in Quality, Cost, Delivery and Attitude
- Quality and RFQ responses within 24 hrs
- R&D team in Formulation Research, Mold Design and Process Design



Contact us:

Top Management
Sales & Marketing Dept.
Quality Dept.
Factory Dept.

apiluck@skthai.com
aor@skthai.com
ratha@skthai.com
padermchai@skthai.com

AKABONTO

TOYODA GOSHI

Nitto



YORUZU

SAB
SUMMIT AUTO BODY

Honda Lock
Safety & Security

TRIUMPH

YNP

MITSUBA

Hanon
SYSTEMS



Supercare

SMITHS

TRAD

ASICO 1996

Pioneer

SAINT-GOBAIN



SANOH

skpolymer.com

S.K. Polymer Co.,Ltd.

91 Rama 2 Road, Na Di, Mueang Samut Sakhon, Samut Sakhon 74000

E-mail : marketing@skthai.com



A TRUE PARTNER OF ELECTRONIC EQUIPMENT MANUFACTURERS



Molded Rubber and Plastic Parts for Electronic Equipment & Electrical Appliances have been S.K. Polymer's major specialty since our establishment in 1991. At present, we have over 400 current parts supporting both domestic and overseas customers.

Rubber Cap

This intricate rubber Cap is a component of the ink container in the printer. The part needs to be clean and enhances the printer's efficiency by eliminating leakage. To achieve this, we developed a special production process and compound formulation in close collaboration with the customer's research and development group.

Keypad

This rubber pad beneath the camera's buttons helps to soften the impact from our fingers pressing onto the electronic circuit.

Rubber Foot

The rubber foot at the base of the telephone helps the phone firmly sit on the table, preventing it from sliding. The outstanding feature of this product is the company's own non-migrating formulation, ensuring our rubber foot leaves no stain on the surface.

Rubber Finger

Our rubber finger is a thumb rest pad at the back of the camera. It is durable and possesses with anti-slip properties. We have developed a special formulation and mold design for this project.

Rubber Block

This rubber block is an anti-vibration component of the camera's main board to mitigate the effect of any shock or bump to this key system. It is made from high-grade synthetic rubber using special process with extensive quality control.

Wire harness rubber

Wire harness rubber is used for wiring inside the Hair straightener.

Sealing Rubber

Our sealing rubber parts are component in hair dryers.

WHY S.K. POLYMER

- The first UL approved rubber molder in Thailand.
- The first Thai manufacturer who produces a critical rubber part (ink cap) for Japanese famous printers.
- High precision and space-saving designs for components in communications devices.
- Equipped to meet industry's high technical requirements in the most economical ways.
- Deeply involve in developing new polymer parts with our customers from the prototype stages right up to mass production.

Our major customers including:



Quality System :

E&E Plant
ISO 9001:2015

Automotive Plant
ISO 9001:2015
IATF 16949:2016

Pharma Plant
ISO 9001:2015
ISO 13485:2016



skpolymer.com

A TRUE PARTNER OF ELECTRICAL EQUIPMENT MANUFACTURERS

At present, we are proud to have a number of the world's leading electrical appliance brands among our customers. You will find our rubber and plastic parts are in air-conditioner & condensing units, compressors, motors, laundry appliances, water pumps and other appliances for various purposes including anti-vibration, pressure controlling, sealing, cushioning and more.

Each product requires its own specific formulation, design and manufacturing process to achieve the highest possible level of production efficiency. Quality inspection at every stage of manufacturing ensures the delivery of quality products. We constantly improve to offer competitive prices to our world-wide customers.

Air charger assembly

The diaphragm is an air charger pressure control device in water pumps. It ensures that the pumped water flows at the required rate.



Silicone parts for Refrigerators

Various silicone parts used in the drainage systems of refrigerators



Silicone parts for Refrigerators

Silicone part at the edge of automated ice boxes inside refrigerators with resistance to permanent low temperatures.



P.V. Bellow

The bellow is a main component in plunger valves. It acts as the control valve of the drain vessel in the washing machine. It is formulated to withstand enduring contact with detergents without losing its shape and properties.



Anti-vibration Rubber

Our anti-vibration rubber, known by different names such as Rubber Mounting/Spacer Mounting, Cushion Rubber and Grommet, is an anti-vibration rubber for assembly at the legs of compressors. It absorbs the shock and sound from the vibration of the operating compressor or motor, etc. Its shape varies by sizes and the vibration types of the compressors.



Anti-vibration Rubber

For air-conditioner motors



Plug and Cap

Plugs and caps are used to plug the copper tube ends in air-conditioning compressors, refrigerators and other coil systems to prevent any leakage of gas, solutions and dust. They are sized to fit the copper tubes and formulated to be non-staining.



Rubber-metal bonded part

Rubber-metal bonded parts for air-conditioning motor fans



Case Fan Vibration absorber

The rubber anti-vibration part inside the heat controlling fan of the electronic circuit in the power supply.



Our major customers including:





We are a World-Class Innovative Organization
Dedicated to Creating Values For Mankind
Through Polymer Products.

A collection of medical devices including a syringe, a drip chamber, a long tube with a green ring, and various connectors and filters. The syringe has a red plunger and a clear barrel. The drip chamber is a clear plastic device with a yellow cap. The long tube is clear with a green ring. There are also several yellow connectors and filters of different sizes.





S.K. Polymer is proud to be a world's leading rubber and plastic manufacturer for pharmaceutical and medical devices. Our new manufacturing plant fulfills the highest standards of ISO 13485.

We continually strive to ensure the safety and quality of our products while simultaneously improving production efficiency.

Our future expansion of facilities include clean rooms of class 100,000 molding process, class 10,000 treatment process, and class 100 packing units. It is also designed to accommodate the standards of ISO 8871 (Elastomeric parts for parenteral & devices for pharmaceutical use) and ISO 10993 (Biological evaluation of medical devices).



PRODUCT CATEGORY

1. Silicone Implantable Medical Devices



SKP raw materials and processes are ISO 10993 and ISO 13485 certified, with globally leading implant-grade silicone suppliers and silicone-injection machine makers as key partners.

We provide silicone implants for all contact-duration ranges, from less than 24 hours to permanent.

Our research focuses on silicone implants for facial cosmetic surgery and joint replacement surgery.

Products are under R&D. Mass production of nasal silicone implant will be launched first, in early 2027.



Silicone implants for joint replacement surgery



Silicone implants for facial cosmetic surgery

2. Pharmaceutical-Grade Polymer Parts



Rubber Closures and stoppers for I.V.set, infusion bottles, injection vials, or serum kits. They are designed to reseal after penetration, preventing leakage or contamination.

Products are under R&D and will be launched in 2028.

Our investment budgets consist of factory expansion, clean room class 10,000, clean booth class 100 and siliconization machine etc.



S.K. Polymer Co.,Ltd. (PHARMACEUTICAL PLANT)

164 Moo 2 Khu Khwang , Khu Khwang , Lad Lum Kaew, Pathumthani 12140

marketing@skthai.com

skpolymer.com

3. Medical-Grade Polymer Parts

Our medical-grade products are integrated into various medical and analytic devices, including infusion and transfusion sets, blood collection sets, vacuum/non-vacuum blood collection tubes, etc.



Penetration Plugs and Buttons for infusion set



Penetration Tube for infusion set



Rubber sleeve for blood collection set



Rubber Stoppers for blood collection tube



Needle Head Lock for Glass Syringe



Sealing rubber for Rectal Administration Sets



Rubber Band for Medical Equipment and/or Packing Purposes



Heel cushion

4. Food-Contact, Healthcare and Wellness products

Including rubber droppers, nipples, seals, lips, etc.





**“ We are a World-Class Innovative organization
dedicated to creating values for mankind through
polymer products. ”**

E-mail : marketing@skthai.com

Headquarter :

S.K. Polymer Co., Ltd.
166 Soi Thiantalay 20, Bangkhunthian-Chyatalay Rd.,
Samaedum, Bangkhunthian, Bangkok 10150, Thailand
Tel: (+66)2 892 1092 to 7
Fax: (+66)2 892 1098

International Sales Office (Japan)

2-25-1-402 Yoga Setagaya-Ku,
Tokyo, Japan 158-0097
Tel: +81 80 1327 8094

International Sales Office (USA)

1660 Soldiers Field Rd STE 7 #1017
Brighton, Massachusetts
02135
Tel: +1 857 498 2679



Download brochure



skpolymer.com

Quality System :

E&E Plant

ISO 9001:2015

Automotive Plant

ISO 9001:2015

IATF 16949:2016

Pharma Plant

ISO 9001:2015

ISO 13485:2016